

S.K EDUTECH & AGRO INDUSTRIES

Marching towards Excellence



Multi Grain grading machines and wheat flour machines Range





Manufacturer of:-

- Seed Grader
- Gravity Separator
- Destoner
- Screw & Belt Conveyor
- Grain Dryer
- Bucket Elevator
- Atta Plant
- Daal Mill Plant
- Pneumatic & Hydraulic Training kits

Contact:

Plot No. N-29/2, Growth Center, Akola, IV Phase, M.I.D.C., Akola-444005

Mo: 9822641908, 8805595228 E-mail: skindustriesdivision@gmail.com

SK's Hitech Atta Plant- Multi Grain grading machines and Wheat flour machines Plant Range offers 3 Models as following:-

- 1) SK's Hitech Atta Plant Basic Model
- 2) SK's Hitech Atta Plant Eco Model
- 3) SK's Hitech Atta Plant Deluxe Model


1) SK's Hitech Atta Plant Basic Model

Multi Grain grading machines and Wheat flour machines

(Model: SKHAB-2T (2500kg/Hr. Cleaning & 2000kg/Hr. Flour))







Special Features


- Spring steel strips are used for oscillation has no maintenance.
- Buckets are nylon made hence no corrosion and long
 life
- Drive motor are of standard make.
- All the units are dynamically balanced hence no vibrations.
- Easy to adjust Destoner speed, air, deck angle even machine is in working condition without stopping.
- Destoner removes sand stones effectively.
- The labor is required only to feed Seed/Grains at first elevator hopper.
- Easy arrangement for feed control flap operation.

Technical Specification

reclinical specification							
Plant Unit No.	Unit	Capacity	Electric Motor Drive	Qty.			
1	SK's Bucket Elevator Deluxe For Tusi Roller and Grader	2500 kg/Hr.	2 HP	1			
4	SK's Bucket Elevator SKBE-2K	2500 kg/Hr.	2 HP	1			
2	Wheat Tusi Roller WTR- 2T	2400 to 2500 kg/Hr.	3 HP	1			
3	SK's Air Screen Seed Cleaner cum Grader SKASSC -2K	2400 to 2500 kg/Hr.	7 HP	1			
5	SK's Destoner SKDS -2K	2400 to 2500 kg/Hr.	7.5 HP	1			
6	SK's Bucket Elevator Deluxe For bin	2500 kg/Hr.	1 HP	1			
7	Screw conveyor SKSC-2.5T	2500 kg/Hr. Conveying capacity	-	1			
8	Wheat Storage Bin (two compartments)	2500kg storing capacity	-	1			
9	Floor mill (Chakki) 24" emery stone FM-0.25 T	250kg/Hr.	15 HP	8			
10	Pneumatic System Atta Blower, Cyclone, Airlock, Pipe, Dust Collector Cyclone And Filter Bags. PCS-2 T	2000 kg/Hr. conveying capacity	5 HP	1			
11	Rotary Centrifugal filter Reel for floor separation. RCF-2 T	2000 kg/Hr. filtering capacity	5 HP	1			

2) SK's Hitech Atta Plant Eco Model





Special Features

- Drive motor are of standard make.
- All the units are dynamically balanced hence no vibrations.
- Easy to adjust Destoner speed, air, deck angle even machine is in working condition without stopping.
- Destoner removes sand stones effectively.
- The labor is required only to feed Seed/Grains at first elevator hopper.
- Easy arrangement for feed control flap operation.


	reclinical specification							
Plant Unit No.	Unit	Capacity	Electric Motor Drive	Qty.				
1	SK's Twin Bucket Elevator SKBE- TWIN 200	2500 kg/Hr.	2 HP	1				
2	Wheat Tusi Roller WTR- 2T	2400 to 2500 kg/Hr.	3 HP	1				
3	Sk's Air Screen Seed Cleaner cum Grader SKASSC -2K	2400 to 2500 kg/Hr.	7 HP	1				
4	SK's Destoner SKDS-2T	2400 to 2500 kg/Hr.	7.5 HP	1				
5	Screw conveyor SKSC-2.5T	2500 kg/Hr. Conveying capacity	-	1				
6	Wheat Storage Bin (two compartments)	2500kg storing capacity	-	1				
7	Floor mill (Chakki) 24" emery stone FM-0.25T	250kg/Hr.	15 HP	8				
8	Pneumatic System Atta Blower, Cyclone, Airlock, Pipe, Dust Collector Cyclone And Filter Bags. PCS-2T	2000 kg/Hr. conveying capacity	5 HP	1				
9	Rotary Centrifugal filter Reel for floor separation. RCF-2T	2000 kg/Hr. filtering capacity	5 HP	1				

3) SK's Hitech Atta Plant Deluxe Model

Multi Grain grading machines and wheat flour machines

(Model: SKHAD-2T (2500kg/Hr. Cleaning & 2000kg/Hr. Flour))





Special Features

- For change in Seed/Grain variety machine and cleaning is very easy and is matter of 5 minutes.
- Less machine sound.
- Spring steel strips are used for oscillation has no maintenance.
- Buckets are nylon made hence no corrosion and long life.
- Drive motor are of standard make.
- All the units are dynamically balanced hence no vibrations.

	Technical Specification							
Plant Unit No.	Unit	Capacity	Electric Motor Drive	Qty.				
1	SK's Bucket Elevator Deluxe For Tusi Roller and Grader	2500 kg/Hr.	2 HP	1				
4,6	SK's Bucket Elevator SKBE-2K	2500 kg/Hr.	2 HP	2				
2	Wheat Tusi Roller WTR- 2T	2400 to 2500 kg/Hr.	3 HP	1				
3	SK's Air Screen Seed Cleaner cum Grader SKASSC -2K	2400 to 2500 kg/Hr.	7 HP	1				
5	SK's Multi grain Gravity Separator. SKGS-2K	2400 to 2500 kg/Hr.	7.5 HP					
7	SK's Destoner SKDS-2T	2400 to 2500 kg/Hr.	7.5 HP	1				
8	SK's Bucket Elevator Deluxe For bin	2500 kg/Hr.	2 HP	1				
9	Screw conveyor SKSC-2T	2500kg/Hr. Conveying capacity	-	1				
10	Wheat Storage Bin (two compartments)	2500 kg storing capacity	-	1				
11	Floor mill (Chakki) 24" emery stone FM-0.25 T	250kg/Hr.	15 HP	8				
12	Pneumatic System Atta Blower, Cyclone, Airlock, Pipe, Dust Collector Cyclone And Filter Bags. PCS-2 T	2000kg/Hr. conveying capacity	5 HP	1				
13	Rotary Centrifugal filter Reel for floor separation. RCF-2 T	2000kg/Hr. filtering capacity	5 HP	1				

^{*} Due to continuous up-gradation, the dimensions and some specification are subjected to change.